

<u>1018 COLD DRAWN ROUNDS</u>	
<u>ITEM DESCRIPTION</u>	<u>WEIGHT</u>
.375 RD 1018 X 12 FT URL	1,732
.500 RD 1018 X 20 FT URL	0
.625 RD 1018 X 20 FT URL	9,998
.750 RD 1018 X 20 FT MIN	3,074
.875 RD 1018 X 20 FT URL	2,450
1 IN RD 1018 X 12 FT URL	0
1 IN RD 1018 X 20 FT URL	0
1-1/2 RD 1018 X 12 FT URL	0
1-1/2 RD 1018 X 12 FT URL	0
1-1/2 RD 1018 X 16 FT URL	0
1-1/2 RD 1018 X 20 FT URL	0
1-1/4 RD 1018 X 12 FT URL	0
1-1/4 RD 1018 X 20 FT URL	0
1-1/8 RD 1018 X 12 FT URL	0
1-1/8 RD 1018 X 18 FT URL	0
1-1/8 RD 1018 X 20 FT URL	0
1-15/16 RD 1018 X 12 FT URL	6,055
1-15/16 RD 1018 X 20 FT URL	0
1-3/16 RD 1018 X 20 FT URL	2,100
1-3/4 RD 1018 X 12 FT URL	0
1-3/4 RD 1018 X 20 FT	0
1-3/8 RD 1018 X 12 FT URL	7,025
1-3/8 RD 1018 X 20 FT URL	0
1-5/16 RD 1018 X 12 FT URL	5,855
1-5/16 RD 1018 X 20 FT URL	0
1-5/8 RD 1018 X 12 FT URL	0
1-5/8 RD 1018 X 20 FT URL	0
1-7/16 RD 1018 X 12 FT URL	0
1-7/16 RD 1018 X 20 FT URL	0
1-7/8 RD 1018 X 12 FT URL	0
1-7/8 RD 1018 X 20 FT URL	15,745
1.000 RD 1018 X 20 FT URL	4,260
1.625 RD 1018 X 20 FT URL	1,540
1/2 RD 1018 X 12 FT URL	0
1/2 RD 1018 X 20 FT URL	0
2 IN RD 1018 X 12 FT URL	0
2 RD 1018 X 20 FT URL	0
2-1/2 RD 1018 X 12 FT URL	0
2-1/2 RD 1018 X 20 FT URL	0
2-1/4 RD 1018 X 12 FT URL	0
2-1/4 RD 1018 X 20 FT URL	0
2-1/4 RD 1018 X 20 FT URL	4,065
2-1/8 RD 1018 X 12 FT URL	0
2-1/8 RD 1018 X 20 FT URL	0
2-15/16 RD 1018 X 12 FT URL	0
2-15/16 RD 1018 X 20 FT URL	4,235
2-3/16 RD 1018 X 12 FT	0
2-3/16 RD 1018 X 20 FT URL	9,765
2-3/4 RD 1018 X 12 FT URL	0
2-3/4 RD 1018 X 20 FT URL	8,180
2-3/8 RD 1018 X 12 FT URL	4,000
2-3/8 RD 1018 X 20 FT URL	0
2-5/8 RD 1018 X 12 FT URL	0
2-5/8 RD 1018 X 20 FT URL	10,475
2-7/16 RD 1018 X 12 FT URL	0
2-7/16 RD 1018 X 20 FT URL	0

1018 COLD DRAWN ROUNDS
ITEM DESCRIPTIONWEIGHT

2.000 RD 1018 X 20 FT URL	5,850
3 IN RD 1018 X 12 FT URL	0
3 IN RD 1018 X 20 FT URL	0
3 IN RD 1018 X 20 FT URL	8,750
3-1/2 RD 1018 X 12 FT URL	2,400
3-1/2 RD 1018 X 20 FT URL	0
3-1/4 RD 1018 X 12 FT URL	7,941
3-1/4 RD 1018 X 20 FT URL	35,595
3-1/8 RD 1018 X 12 FT URL	7,780
3-1/8 RD 1018 X 20 FT URL	0
3-15/16 RD 1018 X 20 FT URL	0
3-3/4 RD 1018 X 12 FT URL	1,860
3-7/16 RD 1018 X 20FT URL	0
3-7/8 RD 1018 X 20 FT URL	14,645
3.750 RD 1018 X 20 FT URL	17,650
3.9375 RD 1018 X 20 FT URL	0
3/4 RD 1018 X 12 FT URL	6,885
3/4 RD 1018 X 20 FT URL	44,715
3/8 RD 1018 X 12 FT	310
3/8 RD 1018 X 20 FT URL	0
4 IN RD 1018 X 12 FT URL	0
4 IN RD 1018 X 20 FT URL	0
4 IN RD 1018 X 20 FT URL	0
4-1/2 RD 1018 X 20 FT URL	0
4-3/8 RD 1018 X 20 FT URL	0
4.250 RD 1018 X 20 FT URL	7,910
4.500 RD 1018 X 20 FT URL	16,490
5 RD 1018 X 20 FT URL	0
5-1/2 RD 1018 X 20 FT URL	26,600
5/8 RD 1018 X 12 FT	0
5/8 RD 1018 X 12 FT URL	0
5/8 RD 1018 X 20 FT URL	936
7/16 RD 1018 X 12 FT	0
7/16 RD 1018 X 20 FT URL	0
7/8 RD 1018 X 12 FT URL	0
7/8 RD 1018 X 20 FT URL	0

1018 COLD DRAWN FLATS
ITEM DESCRIPTIONWEIGHT

1 X 1-1/2 FLAT 1018 X 12 FT	14,330
1 X 1-1/4 FLAT 1018 X 12 FT	0
1 X 2 FLAT 1018 X 12 FT URL	0
1 X 2-1/2 FLAT 1018 X 12 FT	0
1 X 3 FLAT 1018 X 12 FT URL	2,845
1 X 4 FLAT 1018 X 12 FT URL	970
1/2 X 1-1/2 FLAT 1018 12FT URL	0
1/2 X 2 FLAT 1018 X 12 FT URL	0
1/2 X 2-1/2 FLAT 1018 X 12 FT	0
1/2 X 3 FLAT 1018 X 12 FT URL	1,970
1/2 X 3-1/2 FLAT 1018 12FT URL	6,690
1/2 X 4 FLAT 1018 X 12 FT URL	0
3/4 X 1 FLAT 1018 X 12 FT URL	5,695
3/4 X 1-1/2 FLAT 1018 X 12 FT	0
3/4 X 1-1/4 FLAT 1018 X 12 FT	0
3/4 X 2 FLAT 1018 X 12 FT URL	2,780
3/4 X 3 FLAT 1018 X 12 FT URL	2,035
3/4 X 4 FLAT 1018 X 12 FT URL	8,050

1018 COLD DRAWN FLATS
ITEM DESCRIPTION

WEIGHT

5/8 X 1 FLAT 1018 X 12 FT URL	0
5/8 X 1-1/4 FLAT 1018 X 12 FT	0
5/8 X 2 FLAT 1018 X 12 FT URL	1,540
7/8 X 1-1/2 FLAT 1018 X 12 FT	0
7/8 X 1-1/4 FLAT 1018 X 12 FT	28,740
7/8 X 3 FLAT 1018 X 12 FT	0

1018 COLD DRAWN SQUARES
ITEM DESCRIPTION

WEIGHT

1 IN SQ 1018 X 12 FT URL	11,990
1-1/2 SQ 1018 X 12 FT URL	3,320
1-1/4 SQ 1018 X 12 FT URL	6,360
1-1/8 SQ 1018 X 12 FT URL	0
1-1/8 SQ 1018 X 20 FT URL	6,475
2 IN SQ 1018 X 12 FT URL	0
3/4 SQ 1018 X 12 FT URL	0
7/8 SQ 1018 X 12 FT URL	0

1045 COLD DRAWN ROUNDS
ITEM DESCRIPTION

WEIGHT

.625 RD 1045 X 20 FT URL	1,012
1 RD 1045 X 12 FT URL	0
1 RD 1045 X 20 FT URL	0
1-1/2 RD 1045 X 20 FT URL	0
1-1/4 RD 1045 MOD X 138 IN	0
1-1/4 RD 1045 X 20 FT URL	0
1-1/8 RD 1045 X 12 FT	23,320
1-1/8 RD 1045 X 20 FT URL	0
1-1/8 RD 1045 X 20 FT URL	0
1-3/4 RD 1045 X 20 FT URL	4,815
1-3/8 RD 1045 X 20 FT URL	0
1.000 RD 1045 X 20 FT URL	30,065
1.250 RD 1045 X 20 FT URL	23,260
1.500 RD 1045 X 20 FT URL	9,610
1.750 RD 1045 X 20 FT URL	0
1/2 RD 1045 X 12 FT URL	0
1/2 RD 1045 X 20 FT URL	0
2 IN RD 1045 X 20 FT URL	12,280
2-1/2 RD 1045 X 20 FT URL	0
2-1/4 RD 1045 X 20 FT URL	0
2-1/8 RD 1045 X 20 FT URL	0
2-3/4 RD 1045 X 20 FT URL	16,305
2.125 RD 1045 X 20 FT URL	0
3 IN RD 1045 X 12 FT URL	0
3 IN RD 1045 X 20 FT URL	0
3-1/2 RD 1045 X 20 FT URL	4,010
3-1/2 RD 1045 X 20 FT URL	17,425
3-1/4 RD 1045 X 20 FT URL	7,996
3-1/4 RD 1045 X 20 FT URL	0
3-3/4 RD 1045 X 20 FT URL	9,162
3/4 RD 1045 X 12 FT URL	0
4 IN RD 1045 X 20 FT URL	0
4 IN RD 1045 X 20 FT URL	0
4-1/2 RD 1045 X 20 FT URL	0
7/8 RD 1045 X 13 FT 4 IN	0
7/8 RD 1045 X 20 FT URL	11,675

1117 COLD DRAWN ROUNDS
ITEM DESCRIPTION

WEIGHT

.873/.875 RD 1117 X 12 FT URL	0
1 RD 1117 X 12 FT URL	6,205
1-1/2 RD 1117 X 10/12 FT URL	6,210
1-1/2 RD 1117 X 12 FT URL	0
1-1/4 RD 1117 X 12 FT URL	0
1-1/4 RD 1117 X 18 FT URL	15,380
1-1/8 RD 1117 X 12 FT URL	820
1-15/16 RD 1117 X 11/13 FT	1,920
1-3/16 RD 1117 X 10 FT/11FT 10	1,135
1-7/8 RD 1117 X 12 FT URL	0
1.375 RD 1117 X 12 FT URL	0
1.625 RD 1117 X 12 FT URL	0
1.809/1.812 RD 1117 X 11FT 6IN	1,995
1/2 RD 1117 X 12 FT URL	0
1/2 RD 1117 X 20 FT URL	0
13/16 RD 1117 X 12 FT URL	0
2 RD 1117 X 12 FT URL	4,565
2-1/2 RD 1117 X 12 FT URL	4,910
2-13/16 RD 1117 C.G.X 11/13 FT	0
2-3/8 RD 1117 X 10FT/12FT URL	0
2.246/2.250 RD 1117 X 10 FT -	0
3-1/4 RD 1117 X 11/13 FT	3,895
3/4 RD 1117 X 12 FT URL	2,875
4 IN RD 1117 X 12 FT URL	0
5/8 RD 1117 X 12 FT URL	0
5/8 RD 1117 X 20 FT URL	0

1144 COLD DRAWN ROUNDS
ITEM DESCRIPTION

WEIGHT

.9375 RD 1144 X 12 FT URL	0
.9375 RD 1144 X 12 FT URL	42,120
1 IN RD 1144 X 12 FT URL	0
1-1/2 RD 1144 X 12 FT URL	0
1-1/8 RD 1144 X 16 FT/18FT	4,435
1-13/16 RD 1144 X 12 FT URL	0
1-15/16 RD 1144 X 12 FT	0
1-3/16 RD 1144 X 12 FT URL	0
1-3/4 RD 1144 X 12 FT URL	0
1-3/8 RD 1144 X 12 FT URL	0
1-5/8 RD 1144 X 12 FT	0
1-7/8 RD 1144 X 12 FT URL	0
1.125 RD 1144 X 12 FT URL	0
1.125 RD 1144 X 12 FT URL	31,070
1.1875 RD 1144 X 12 FT URL	0
1.3125 RD 1144 X 12 FT URL	0
2 IN RD 1144 X 12 FT URL	0
2-1/4 RD 1144 X 12 FT URL	0
3 RD 1144 X 20 FT URL	0
3-1/2 RD 1144 X 20 FT URL	3,925
3/4 RD 1144 X 12 FT URL	0
4 IN RD 1144 X 20 FT URL	0
5/8 RD 1144 X 12 FT URL	0
7/8 RD 1144 X 11FT/13FT URL	0
7/8 RD 1144 X 12 FT	0

1215 COLD DRAWN ROUNDS
ITEM DESCRIPTION

WEIGHT

<u>1215 COLD DRAWN ROUNDS</u> <u>ITEM DESCRIPTION</u>	<u>WEIGHT</u>
1 IN RD 1215 X 12 FT URL	7,705
1 RD 1215 X 12 FT URL	0
1 RD 1215 X 16 FT URL	0
1 RD. 1215 X 143.5 IN	1,495
1-1/16 RD 1215 X 12 FT	0
1-1/2 RD 1215 X 12 FT URL	0
1-1/2 RD 1215 X 16 FT URL	0
1-1/4 RD 1215 X 12 FT URL	0
1-1/4 RD 1215 X 16 FT URL	0
1-1/8 RD 1215 X 12 FT URL	2,325
1-15/16 RD 1215 X 12 FT URL	0
1-3/16 RD 1215 X 12 FT URL	0
1-3/4 RD 1215 X 12 FT URL	16,511
1-3/8 RD 1215 X 12 FT URL	41,736
1-5/8 RD 1215 X 12 FT URL	0
1-7/16 RD 1215 X 12 FT URL	0
1-7/8 RD 1215 X 12 FT URL	0
1/2 RD 1215 X 12 FT URL	6,524
1/2 RD 1215 X 12 FT URL	0
11/16 RD 1215 X 12 FT URL	0
13/16 RD 1215 X 12 FT URL	0
2 IN RD 1215 X 12 FT URL	0
2-1/2 RD 1215 X 12 FT URL	0
2-1/4 RD 1215 X 12 FT URL	0
2-1/8 RD 1215 X 12 FT URL	0
2-3/4 RD 1215 X 12FT URL	7,185
2-3/8 RD 1215 X 12 FT	0
3 IN RD 1215 X 12 FT URL	0
3-1/2 RD 1215 X 12FT URL	0
3/4 RD 1215 X 12 FT URL	0
3/4 RD 1215 X 12 FT URL	0
3/4 RD 1215 X 143.5 IN	2,570
3/8 RD 1215 X 12 FT	4,128
4 IN RD 1215 X 12 FT URL	0
5/16 RD 1215 X 12 FT URL	0
5/8 RD 1215 X 12 FT URL	0
5/8 RD 1215 X 12 FT URL	0
5/8 RD 1215 X 143.5 IN	0
7/16 RD 1215 X 12 FT URL	8,636
7/8 RD 1215 X 12 FT	0
7/8 RD 1215 X 12 FT URL	0
7/8 RD 1215 X 18 FT URL	0
9/16 RD 1215 X 12 FT URL	0

<u>12L14 COLD DRAWN ROUNDS</u> <u>ITEM DESCRIPTION</u>	<u>WEIGHT</u>
1 IN RD 12L14 X 12 FT URL	3,930
1-1/16 RD 12L14 X 12 FT URL	0
1-1/2 RD 12L14 X 12 FT URL	0
1-1/4 RD 12L14 X 12 FT URL	14,757
1-1/8 RD 12L14 X 12 FT URL	9,255
1-11/16 RD 12L14 X 12 FT URL	0
1-13/16 RD 12L14 X 12 FT URL	0
1-15/16 RD 12L14 X 12 FT URL	0
1-3/16 RD 12L14 X 12 FT URL	0
1-3/4 RD 12L14 X 12 FT URL	2,831
1-3/8 RD 12L14 X 12 FT URL	3,940

12L14 COLD DRAWN ROUNDS
ITEM DESCRIPTION

WEIGHT

1-5/16 RD 12L14 X 12 FT URL	0
1-5/8 RD 12L14 X 12 FT URL	0
1-7/16 RD 12L14 X 12 FT URL	1,960
1-7/8 RD 12L14 X 12 FT URL	11,795
1-9/16 RD 12L14 X 12 FT URL	0
1/2 RD 12L14 X 12 FT URL	7,320
1/4 RD 12L14 X 12 FT URL	0
11/16 RD 12L14 X 12 FT URL	0
13/16 RD 12L14 X 12 FT URL	21,720
15/16 RD 12L14 X 12 FT URL	15,030
2 IN RD 12L14 X 12 FT URL	15,566
2-1/2 RD 12L14 X 12 FT URL	0
2-1/4 RD 12L14 X 12 FT URL	3,150
2-1/8 RD 12L14 X 12 FT URL	0
2-3/4 RD 12L14 X 12 FT URL	0
2-3/8 RD 12L14 X 12 FT URL	0
2-5/8 RD 12L14 X 12 FT URL	0
2-7/8 RD 12L14 X 12 FT URL	0
2-9/16 RD 12L14 X 12 FT URL	0
3 IN RD 12L14 X 12 FT URL	0
3-1/2 RD 12L14 X 12 FT URL	0
3-1/4 RD 12L14 X 12 FT URL	0
3-3/4 RD 12L14 X 12 FT URL	0
3/4 RD 12L14 X 12 FT URL	4,164
3/8 RD 12L14 X 12 FT URL	0
4 RD 12L14 X 12 FT URL	0
5/16 RD 12L14 X 12 FT URL	0
5/8 RD 12L14 X 12 FT URL	8,962
7/16 RD 12L14 X 12 FT URL	5,710
7/8 RD 12L14 X 12 FT URL	2,940
9/16 RD 12L14 X 12 FT URL	4,790

12L14 COLD DRAWN HEXES
ITEM DESCRIPTION

WEIGHT

1 IN HEX 12L14 X 12 FT URL	0
1-1/2 HEX 12L14 X 12 FT URL	0
1-1/4 HEX 12L14 X 12 FT URL	20,265
1-1/8 HEX 12L14 X 12 FT URL	9,370
1-3/16 HEX 12L14 X 12 FT URL	0
1-3/4 HEX 12L14 X 12 FT URL	7,855
1-3/8 HEX 12L14 X 12 FT URL	20,770
1/2 HEX 12L14 X 12 FT URL	0
11/16 HEX 12L14 X 12 FT URL	0
2 HEX 12L14 X 12 FT URL	0
3/4 HEX 12L14 X 12 FT URL	0
3/8 HEX 12L14 X 12 FT URL	0
5/16 HEX 12L14 X 12 FT URL	0
5/8 HEX 12L14 X 12 FT URL	0
7/16 HEX 12L14 X 12 FT URL	0
7/8 HEX 12L14 X 12 FT URL	-17,605
9/16 HEX 12L14 X 12 FT URL	0

OTHER ITEMS
ITEM DESCRIPTION

WEIGHT

1 IN HEX 1215 X 12 FT URL	0
1 RD 1137 X 12 FT	12,655
1-1/16 RD 1137 X12 FT	0

<u>OTHER ITEMS</u> <u>ITEM DESCRIPTION</u>	<u>WEIGHT</u>
1-13/16 RD 8620-H X 11 FT 6 IN	1,860
1-5/16 RD 1137 X 12 FT	5,350
1-7/16 RD 1137 X 12 FT	19,730
1-7/16 RD 8620-H X 13 FT 2 IN	33,255
13/16 RD 1137 X 12 FT	1,930
15/16 RD 1137 X 12 FT	2,960
2 RD 8620-H X 10FT/11FT 10IN	8,145
2-1/4 RD 8620H X 11 FT 6 IN	2,705
2.371/2.375 RD 8620H X 10/12 F	0
2.496/2.500 RD 8620 H X 10 FT	0
3 IN RD 4140 Q/T X 20 FT URL	0
3-1/4 RD 8620-H X 12 FT URL	6,975
3-3/4 RD 8620-H X 10 FT/12 FT	1,855
3.495/3.500 RD 8620-H X 12 FT	1,600
3/4 RD 1137 X 12 FT	6,465
3/4 RD 8620 X 12 FT URL	0
3/8 RD 8620 MOD X 12 FT URL	0
5 RD 4140 ANN X 12 FT URL	8,233