

12L14 COLD DRAWN ROUNDS
ITEM DESCRIPTION

WEIGHT

1/4 RD 12L14 X 12 FT URL	0
5/16 RD 12L14 X 12 FT URL	7,080
3/8 RD 12L14 X 12 FT URL	4,010
3/8 RD 12L14 X 16 FT URL	10,377
7/16 RD 12L14 X 12 FT URL	3,028
7/16 RD 12L14 X 16 FT	0
1/2 RD 12L14 X 12 FT URL	744
1/2 RD 12L14 X 16 FT URL	0
9/16 RD 12L14 X 12 FT URL	2,172
5/8 RD 12L14 X 12 FT URL	7,254
5/8 RD 12L14 X 14 FT URL	0
5/8 RD 12L14 X 16 FT URL	7,918
5/8 RD 12L14 X 18 FT URL	0
11/16 RD 12L14 X 12 FT URL	16,068
11/16 RD 12L14 X 16 FT URL	0
11/16 RD 12L14 X 18 FT URL	550
3/4 RD 12L14 X 12 FT URL	6,895
3/4 RD 12L14 X 16 FT URL	6,025
13/16 RD 12L14 X 12 FT URL	-2,695
13/16 RD 12L14 X 14 FT URL	0
13/16 RD 12L14 X 16 FT URL	13,311
7/8 RD 12L14 X 12 FT URL	8,735
7/8 RD 12L14 X 16 FT URL	15,545
15/16 RD 12L14 X 12 FT URL	3,010
1 IN RD 12L14 X 12 FT URL	31,205
1-1/16 RD 12L14 X 12 FT URL	45,360
1-1/16 RD 12L14 X 16 FT URL	19,295
1-1/8 RD 12L14 X 12 FT URL	4,070
1-3/16 RD 12L14 X 12 FT URL	27,745
1-1/4 RD 12L14 X 12 FT URL	0
1-5/16 RD 12L14 X 12 FT URL	9,739
1-3/8 RD 12L14 X 12 FT URL	23,350
1-7/16 RD 12L14 X 12 FT URL	33,760
1-1/2 RD 12L14 X 12 FT URL	1,008
1-9/16 RD 12L14 X 12 FT URL	0
1-5/8 RD 12L14 X 12 FT URL	7,880
1-11/16 RD 12L14 X 12 FT URL	0
1-3/4 RD 12L14 X 12 FT URL	37,040
1-13/16 RD 12L14 X 12 FT URL	0
1-7/8 RD 12L14 X 12 FT URL	0
1-15/16 RD 12L14 X 12 FT URL	0
2 IN RD 12L14 X 12 FT URL	11,642
2-1/16 RD 12L14 X 12 FT URL	0
2-1/8 RD 12L14 X 12 FT URL	2,525
2-1/4 RD 12L14 X 12 FT URL	0
2-3/8 RD 12L14 X 12 FT URL	1,310
2-1/2 RD 12L14 X 12 FT URL	0
2-9/16 RD 12L14 X 12 FT URL	0
2-5/8 RD 12L14 X 12 FT URL	0
2-3/4 RD 12L14 X 12 FT URL	0
2-7/8 RD 12L14 X 12 FT URL	0
3 IN RD 12L14 X 12 FT URL	0
3-1/4 RD 12L14 X 12 FT URL	0
3-1/2 RD 12L14 X 12 FT URL	0
3-3/4 RD 12L14 X 12 FT URL	4,170
4 RD 12L14 X 12 FT URL	0

12L14 COLD DRAWN HEXES
ITEM DESCRIPTION

WEIGHT

5/16 HEX 12L14 X 12 FT URL	0
3/8 HEX 12L14 X 12 FT URL	0
7/16 HEX 12L14 X 12 FT URL	0
1/2 HEX 12L14 X 12 FT URL	0
1/2 HEX 12L14 X 16 FT	0
9/16 HEX 12L14 X 12 FT URL	3,888
5/8 HEX 12L14 X 12 FT URL	0
5/8 HEX 12L14 X 16 FT	0
11/16 HEX 12L14 X 12 FT URL	13,015
3/4 HEX 12L14 X 12 FT URL	0
3/4 HEX 12L14 X 12 FT	10,160
3/4 HEX 12L14 X 16 FT URL	1,660
7/8 HEX 12L14 X 12 FT URL	31,550
7/8 HEX 12L14 X 14 FT URL	0
7/8 HEX 12L14 X 16 FT URL	18,390
15/16 HEX 12L14 X 12 FT URL	0
15/16 HEX 12L14 X 16 FT	0
1 IN HEX 12L14 X 12 FT URL	13,960
1-1/8 HEX 12L14 X 12 FT URL	46,517
1-3/16 HEX 12L14 X 12 FT URL	0
1-1/4 HEX 12L14 X 12 FT URL	17,480
1-3/8 HEX 12L14 X 12 FT URL	14,565
1-1/2 HEX 12L14 X 12 FT URL	5,985
1-5/8 HEX 12L14 X 12 FT URL	2,145
1-11/16 HEX 12L14 X 12 FT	0
1-3/4 HEX 12L14 X 12 FT URL	6,555
2 HEX 12L14 X 12 FT URL	0

12L14 COLD DRAWN SQUARES
ITEM DESCRIPTION

WEIGHT

1/2 SQ 12L14 X 12 FT URL	0
5/8 SQ 12L14 X 12 FT URL	0
3/4 SQ 12L14 X 12 FT URL	2,245
7/8 SQ 12L14 X 12 FT URL	7,880
15/16 SQ 12L14 X 12 FT URL	8,005
1-1/8 SQ 12L14 X 12 FT URL	0
1-3/8 SQ 12L14 X 12 FT URL	0
1-3/4 SQ 12L14 X 12 FT URL	0
2 IN SQ 12L14 X 12 FT URL	0

1215 COLD DRAWN ROUNDS
ITEM DESCRIPTION

WEIGHT

5/16 RD 1215 X 12 FT URL	0
3/8 RD 1215 X 12 FT	0
7/16 RD 1215 X 12 FT URL	0
1/2 RD 1215 X 12 FT URL	3,880
1/2 RD 1215 X 12 FT URL	0
9/16 RD 1215 X 12 FT URL	0
5/8 RD 1215 X 12 FT URL	0
5/8 RD 1215 X 12 FT URL	0
11/16 RD 1215 X 12 FT URL	1,034
3/4 RD 1215 X 12 FT URL	1,646
3/4 RD 1215 X 143.5 IN	0
3/4 RD 1215 X 12 FT URL	0
13/16 RD 1215 X 12 FT URL	0
13/16 RD 1215 X 12 FT	0
13/16 RD 1215 X 143.5 IN	0
7/8 RD 1215 X 12 FT	0
7/8 RD 1215 X 12 FT URL	0

1215 COLD DRAWN ROUNDS
ITEM DESCRIPTIONWEIGHT

7/8 RD 1215 X 18 FT URL	0
15/16 RD 1215 X 12 FT URL	0
15/16 RD 1215 X 143.5 IN	3,450
1 IN RD 1215 X 12 FT URL	0
1 RD. 1215 X 143.5 IN	0
1 RD 1215 X 12 FT URL	0
1 RD 1215 X 16 FT URL	0
1-1/16 RD 1215 X 12 FT	0
1-1/8 RD 1215 X 12 FT URL	0
1-3/16 RD 1215 X 12 FT URL	10,925
1-1/4 RD 1215 X 12 FT URL	10,540
1-1/4 RD 1215 X 16 FT URL	0
1-3/8 RD 1215 X 12 FT URL	54,106
1-3/8 RD 1215 X 14 FT	23,510
1-7/16 RD 1215 X 12 FT URL	0
1-1/2 RD 1215 X 12 FT URL	0
1-1/2 RD 1215 X 16 FT URL	0
1-5/8 RD 1215 X 12 FT URL	43,135
1-3/4 RD 1215 X 12 FT URL	22,640
1-7/8 RD 1215 X 12 FT URL	0
1-15/16 RD 1215 X 12 FT URL	0
2 IN RD 1215 X 12 FT URL	0
2-1/8 RD 1215 X 12 FT URL	0
2-1/4 RD 1215 X 12 FT URL	9,645
2-3/8 RD 1215 X 12 FT	0
2-1/2 RD 1215 X 12 FT URL	1,830
2-3/4 RD 1215 X 12FT URL	0
3 IN RD 1215 X 12 FT URL	0
3-1/8 RD 1215 X 12 FT URL	22,945
3-1/2 RD 1215 X 12FT URL	0
4 IN RD 1215 X 12 FT URL	0

1018 COLD DRAWN ROUNDS
ITEM DESCRIPTIONWEIGHT

3/8 RD 1018 X 12 FT	0
.375 RD 1018 X 12 FT URL	872
3/8 RD 1018 X 20 FT URL	0
7/16 RD 1018 X 12 FT	1,978
7/16 RD 1018 X 20 FT URL	0
1/2 RD 1018 X 12 FT URL	4,618
1/2 RD 1018 X 20 FT URL	0
.500 RD 1018 X 20 FT URL	2,510
9/16 RD 1018 X 12 FT	0
5/8 RD 1018 X 12 FT URL	0
5/8 RD 1018 X 20 FT URL	0
.625 RD 1018 X 20 FT URL	0
3/4 RD 1018 X 12 FT URL	7,000
3/4 RD 1018 X 20 FT URL	0
.750 RD 1018 X 20 FT MIN	0
7/8 RD 1018 X 12 FT URL	0
7/8 RD 1018 X 20 FT URL	0
.875 RD 1018 X 20 FT URL	0
1 IN RD 1018 X 12 FT URL	22,000
1 IN RD 1018 X 20 FT URL	0
1.000 RD 1018 X 20 FT URL	5,515
1-1/8 RD 1018 X 12 FT URL	0
1-1/8 RD 1018 X 18 FT URL	0
1-1/8 RD 1018 X 20 FT URL	0

<u>1018 COLD DRAWN ROUNDS</u> <u>ITEM DESCRIPTION</u>	<u>WEIGHT</u>
1-3/16 RD 1018 X 20 FT URL	0
1-1/4 RD 1018 X 12 FT URL	0
1-1/4 RD 1018 X 20 FT URL	0
1-5/16 RD 1018 X 12 FT URL	0
1-5/16 RD 1018 X 20 FT URL	0
1-3/8 RD 1018 X 12 FT URL	1,850
1-3/8 RD 1018 X 20 FT URL	0
1-7/16 RD 1018 X 12 FT URL	0
1-7/16 RD 1018 X 20 FT URL	0
1-1/2 RD 1018 X 12 FT URL	0
1-1/2 RD 1018 X 12 FT URL	0
1-1/2 RD 1018 X 16 FT URL	0
1-1/2 RD 1018 X 20 FT URL	0
1-5/8 RD 1018 X 12 FT URL	0
1-5/8 RD 1018 X 20 FT URL	0
1.625 RD 1018 X 20 FT URL	0
1-3/4 RD 1018 X 12 FT URL	0
1-3/4 RD 1018 X 20 FT	0
1-7/8 RD 1018 X 12 FT URL	0
1-7/8 RD 1018 X 20 FT URL	0
1-15/16 RD 1018 X 12 FT URL	0
1-15/16 RD 1018 X 20 FT URL	0
2 IN RD 1018 X 12 FT URL	6,100
2 RD 1018 X 20 FT URL	2,753
2.000 RD 1018 X 20 FT URL	5,835
2-1/8 RD 1018 X 12 FT URL	0
2-1/8 RD 1018 X 20 FT URL	0
2-3/16 RD 1018 X 12 FT	0
2-3/16 RD 1018 X 20 FT URL	0
2-1/4 RD 1018 X 12 FT URL	0
2-1/4 RD 1018 X 20 FT URL	0
2-1/4 RD 1018 X 20 FT URL	0
2-3/8 RD 1018 X 12 FT URL	0
2-3/8 RD 1018 X 20 FT URL	0
2-7/16 RD 1018 X 12 FT URL	0
2-7/16 RD 1018 X 20 FT URL	0
2-1/2 RD 1018 X 12 FT URL	0
2-1/2 RD 1018 X 20 FT URL	5,505
2-5/8 RD 1018 X 12 FT URL	0
2-5/8 RD 1018 X 20 FT URL	0
2-3/4 RD 1018 X 12 FT URL	0
2-3/4 RD 1018 X 20 FT URL	7,405
2-15/16 RD 1018 X 12 FT URL	0
2-15/16 RD 1018 X 20 FT URL	0
3 IN RD 1018 X 12 FT URL	0
3 IN RD 1018 X 20 FT URL	0
3 IN RD 1018 X 20 FT URL	1,460
3-1/8 RD 1018 X 12 FT URL	17,195
3-1/8 RD 1018 X 20 FT URL	0
3-1/4 RD 1018 X 12 FT URL	0
3-1/4 RD 1018 X 20 FT URL	0
3-7/16 RD 1018 X 20FT URL	0
3-1/2 RD 1018 X 12 FT URL	0
3-1/2 RD 1018 X 20 FT URL	0
3-3/4 RD 1018 X 12 FT URL	0
3.750 RD 1018 X 20 FT URL	22,540
3-7/8 RD 1018 X 20 FT URL	0

1018 COLD DRAWN ROUNDS
ITEM DESCRIPTION

WEIGHT

3-15/16 RD 1018 X 20 FT URL	0
3.9375 RD 1018 X 20 FT URL	1,700
4 IN RD 1018 X 12 FT URL	0
4 IN RD 1018 X 20 FT URL	0
4 IN RD 1018 X 20 FT URL	64,470
4.250 RD 1018 X 20 FT URL	19,657
4-3/8 RD 1018 X 20 FT URL	0
4-1/2 RD 1018 X 20 FT URL	0
4.500 RD 1018 X 20 FT URL	13,356
5 RD 1018 X 20 FT URL	8,277
5-1/2 RD 1018 X 20 FT URL	3,298

1018 COLD DRAWN FLATS
ITEM DESCRIPTION

WEIGHT

1/2 X 1-1/2 FLAT 1018 12FT URL	0
1/2 X 2 FLAT 1018 X 12 FT URL	0
1/2 X 2-1/2 FLAT 1018 X 12 FT	0
1/2 X 3 FLAT 1018 X 12 FT URL	0
1/2 X 3-1/2 FLAT 1018 12FT URL	2,750
1/2 X 4 FLAT 1018 X 12 FT URL	4,870
5/8 X 1 FLAT 1018 X 12 FT URL	0
5/8 X 1-1/4 FLAT 1018 X 12 FT	0
5/8 X 2 FLAT 1018 X 12 FT URL	0
3/4 X 1 FLAT 1018 X 12 FT URL	0
3/4 X 1-1/4 FLAT 1018 X 12 FT	0
3/4 X 1-1/2 FLAT 1018 X 12 FT	2,405
3/4 X 2 FLAT 1018 X 12 FT URL	0
3/4 X 3 FLAT 1018 X 12 FT URL	0
3/4 X 4 FLAT 1018 X 12 FT URL	8,050
7/8 X 1-1/4 FLAT 1018 X 12 FT	0
7/8 X 1-1/2 FLAT 1018 X 12 FT	0
7/8 X 3 FLAT 1018 X 12 FT	0
1 X 1-1/4 FLAT 1018 X 12 FT	0
1 X 1-1/2 FLAT 1018 X 12 FT	0
1 X 2 FLAT 1018 X 12 FT URL	4,690
1 X 2-1/2 FLAT 1018 X 12 FT	0
1 X 3 FLAT 1018 X 12 FT URL	0
1 X 4 FLAT 1018 X 12 FT URL	0

1018 COLD DRAWN SQUARES
ITEM DESCRIPTION

WEIGHT

3/4 SQ 1018 X 12 FT URL	0
7/8 SQ 1018 X 12 FT URL	0
1 IN SQ 1018 X 12 FT URL	0
1-1/8 SQ 1018 X 12 FT URL	0
1-1/8 SQ 1018 X 20 FT URL	2,675
1-1/4 SQ 1018 X 12 FT URL	0
1-1/2 SQ 1018 X 12 FT URL	62,585
2 IN SQ 1018 X 12 FT URL	0

1045 COLD DRAWN ROUNDS
ITEM DESCRIPTION

WEIGHT

1/2 RD 1045 X 12 FT URL	0
1/2 RD 1045 X 20 FT URL	0
.625 RD 1045 X 20 FT URL	0
3/4 RD 1045 X 12 FT URL	7,060
7/8 RD 1045 X 13 FT 4 IN	0
7/8 RD 1045 X 20 FT URL	0
1 RD 1045 X 12 FT URL	0
1 RD 1045 X 20 FT URL	0

1045 COLD DRAWN ROUNDS
ITEM DESCRIPTIONWEIGHT

1.000 RD 1045 X 20 FT URL	0
1-1/8 RD 1045 X 12 FT	0
1-1/8 RD 1045 X 20 FT URL	0
1-1/8 RD 1045 X 20 FT URL	0
1-1/4 RD 1045 MOD X 138 IN	0
1-1/4 RD 1045 X 20 FT URL	0
1.250 RD 1045 X 20 FT URL	0
1-3/8 RD 1045 X 20 FT URL	0
1-1/2 RD 1045 X 20 FT URL	0
1.500 RD 1045 X 20 FT URL	0
1.625 RD 1045 X 20 FT URL	3,765
1-3/4 RD 1045 X 20 FT URL	0
1.750 RD 1045 X 20 FT URL	0
2 IN RD 1045 X 20 FT URL	0
2-1/8 RD 1045 X 20 FT URL	0
2.125 RD 1045 X 20 FT URL	11,640
2-1/4 RD 1045 X 20 FT URL	0
2-1/2 RD 1045 X 20 FT URL	0
2-3/4 RD 1045 X 20 FT URL	0
3 IN RD 1045 X 12 FT URL	0
3 IN RD 1045 X 20 FT URL	0
3-1/4 RD 1045 X 20 FT URL	1,710
3-1/4 RD 1045 X 20 FT URL	0
3-1/2 RD 1045 X 20 FT URL	0
3-1/2 RD 1045 X 20 FT URL	0
3-3/4 RD 1045 X 20 FT URL	0
4 IN RD 1045 X 20 FT URL	0
4 IN RD 1045 X 20 FT URL	3,503
4-1/2 RD 1045 X 20 FT URL	0

1117 COLD DRAWN ROUNDS
ITEM DESCRIPTIONWEIGHT

1/2 RD 1117 X 12 FT URL	0
1/2 RD 1117 X 20 FT URL	0
5/8 RD 1117 X 12 FT URL	0
5/8 RD 1117 X 20 FT URL	0
3/4 RD 1117 X 12 FT URL	3,180
13/16 RD 1117 X 12 FT URL	0
.873/.875 RD 1117 X 12 FT URL	5,940
1 RD 1117 X 12 FT URL	8,220
1-1/8 RD 1117 X 12 FT URL	811
1-3/16 RD 1117 X 10 FT/11FT 10	3,030
1-1/4 RD 1117 X 12 FT URL	0
1-1/4 RD 1117 X 18 FT URL	4,795
1.375 RD 1117 X 12 FT URL	6,425
1-1/2 RD 1117 X 12 FT URL	5,010
1-1/2 RD 1117 X 10/12 FT URL	0
1.625 RD 1117 X 12 FT URL	0
1.809/1.812 RD 1117 X 11FT 6IN	5,655
1-7/8 RD 1117 X 12 FT URL	0
1-15/16 RD 1117 X 11/13 FT	0
2 RD 1117 X 12 FT URL	0
2.246/2.250 RD 1117 X 10 FT -	0
2-3/8 RD 1117 X 10FT/12FT URL	0
2-1/2 RD 1117 X 12 FT URL	2,825
2-13/16 RD 1117 C.G.X 11/13 FT	6,465
3-1/4 RD 1117 X 11/13 FT	4,175
4 IN RD 1117 X 12 FT URL	0

1144 COLD DRAWN ROUNDS
ITEM DESCRIPTION

<u>ITEM DESCRIPTION</u>	<u>WEIGHT</u>
5/8 RD 1144 X 12 FT URL	0
3/4 RD 1144 X 12 FT URL	0
7/8 RD 1144 X 12 FT	0
7/8 RD 1144 X 11FT/13FT URL	2,860
.9375 RD 1144 X 12 FT URL	0
.9375 RD 1144 X 12 FT URL	39,600
1 IN RD 1144 X 12 FT URL	2,785
1.125 RD 1144 X 12 FT URL	0
1.125 RD 1144 X 12 FT URL	0
1-1/8 RD 1144 X 16 FT/18FT	1,825
1.1875 RD 1144 X 12 FT URL	0
1-3/16 RD 1144 X 12 FT URL	0
1.3125 RD 1144 X 12 FT URL	0
1-3/8 RD 1144 X 12 FT URL	0
1-1/2 RD 1144 X 12 FT URL	0
1-5/8 RD 1144 X 12 FT	0
1-3/4 RD 1144 X 12 FT URL	0
1-13/16 RD 1144 X 12 FT URL	0
1-7/8 RD 1144 X 12 FT URL	0
1-15/16 RD 1144 X 12 FT	0
2 IN RD 1144 X 12 FT URL	0
2-1/4 RD 1144 X 12 FT URL	0
3 RD 1144 X 20 FT URL	0
3-1/2 RD 1144 X 20 FT URL	0
4 IN RD 1144 X 20 FT URL	0

OTHER ITEMS
ITEM DESCRIPTION

<u>ITEM DESCRIPTION</u>	<u>WEIGHT</u>
3/8 RD 8620 MOD 12 FT PLUS 1	4,780
.547/.549 HEX 1215 X 18 FT URL	8,550
3/4 RD 8620 X 12 FT URL	0
3/4 RD 1137 X 12 FT	9,150
13/16 RD 1137 X 12 FT	5,255
15/16 RD 1137 X 12 FT	2,200
1 RD 1137 X 12 FT	3,925
1 IN HEX 1215 X 12 FT URL	4,915
1-1/16 RD 1137 X12 FT	3,850
1-5/16 RD 1137 X 12 FT	0
1-7/16 RD 8620-H X 13 FT 2 IN	39,495
1-7/16 RD 1137 X 12 FT	11,970
1-13/16 RD 8620-H X 11 FT 6 IN	0
2 RD 8620-H X 10FT/11FT 10IN	8,660
2-1/4 RD 8620H X 11 FT 6 IN	3,235
2.371/2.375 RD 8620H X 10/12 F	0
2.496/2.500 RD 8620 H X 10 FT	3,190
3 IN RD 4140 Q/T X 20 FT URL	33,422
3-1/4 RD 8620-H X 12 FT URL	0
3.495/3.500 RD 8620-H X 12 FT	4,865
3-3/4 RD 8620-H X 10 FT/12 FT	1,855
5 RD 4140 ANN X 12 FT URL	9,879